

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

WSB297
A3

Cotton Varieties Planted 2003 Crop

USDA
NAT'L AGRIC LIBRARY
2003 OCT -11 P 2:
CURRENT SE
ACC



**U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service - Cotton Program
Memphis, Tennessee
September 2003**

Cotton Varieties Planted, United States 2003 Crop

The Deltapine brand of upland cottonseed was the most popular planted in the United States for the 2003-2004 season, according to the USDA, Agricultural Marketing Service's Cotton Program. The Paymaster brand was the second most popular followed by Bayer CropScience Fibermax, Stoneville, Sure-Grow, All-Tex, Phytogen, and CPCSD.

Transgenic varieties - genetically engineered varieties resistant to worms, herbicides, or both - accounted for about 76 percent of the upland cotton planted in the United States in 2003. This was down about one percentage point from the 2002 crop and about two percentage points from the 2001 crop. Usage of transgenic varieties in 2003 varied from a high of 100 percent in Florida to a low of 42 percent in California. Texas producers planted transgenic varieties to 56 percent of their 5.8 million cotton acres.

Deltapine brand varieties were the most popular planted in 2003, accounting for 33.0 percent of the United States acreage. This brand accounted for 69.8 percent of the acreage planted in the southeastern states (Alabama, Florida, Georgia, North Carolina, South Carolina, and Virginia). It accounted for 29.6 percent of the acreage planted in the south central states (Arkansas, Louisiana, Mississippi, Missouri, and Tennessee), 16.6 percent in the southwestern states (Texas, Oklahoma, and Kansas), and 25.7 percent of the acreage planted in the western states (Arizona, California, and New Mexico). Deltapine's most popular varieties were DP 555 BG/RR, DP 451 B/RR, DP 458 B/RR, DP 5415RR, and DP 436 RR, accounting respectively for 8.7, 6.5, 4.6, 3.0, and 1.9 percent of the U.S. cotton acreage.

Paymaster brand varieties were the second most popular planted in 2003, accounting for 21.3 percent of the United States acreage. These varieties accounted for 3.1 percent of the acreage planted in the southeastern states, 19.4 percent in the south central states, 35.1 percent in the southwestern states, and 0.2 percent in the western states. The most popular Paymaster varieties were PM 1218 BG/RR, PM 2326 RR, PM 2379 RR, and Paymaster HS 26, accounting respectively for 5.9, 4.3, 1.9, and 1.9 percent of the U.S. acreage.

Bayer CropScience Fibermax brand varieties were the third most popular planted in 2003, accounting for 15.6 percent of the United States acreage. They accounted for 7.8 percent of the acreage planted in the southeastern states, 5.2 percent of the acreage in the south central states, 28.0 percent in the southwestern states, and 1.3 percent in the western states. The most popular Bayer CropScience Fibermax varieties were FM 958, FM 832, FM 989BR and FM 989RR, accounting respectively for 4.5, 3.1, 2.3, and 2.1 percent of the United States acreage planted to cotton.

Stoneville brand varieties were the fourth most popular planted in 2003. These varieties accounted for 13.6 percent of the acreage planted. They accounted for 8.8 percent of the acreage planted in the southeastern states, 33.8 percent of the acreage in the south central states, 5.0 percent in the southwestern states, and 5.1 percent in the western states. The most popular Stoneville varieties were ST 4892BR and ST 4793R, accounting respectively for 7.9 and 2.2 percent of the United States acreage planted to cotton.

Suregrow brand varieties were the next most popular and accounted for 5.4 percent of the U.S. acreage planted in 2003. All-Tex varieties, planted primarily in Texas, Oklahoma, and Kansas, were the sixth most popular and accounted for 3.1 percent of the 2003 cotton acreage.

Phytogen was the most popular brand of American Pima planted in 2003. Phytogen variety PHY 76 Pima accounted for 56.4 percent of the United States Pima acreage and was the most popular variety planted in California (67.5 percent of California Pima acreage). Deltapine's DP 744 Pima was the second most-planted American Pima variety and accounted for 15.4 percent of the U.S. crop. Deltapine's DP 340 Pima was the next most popular variety and accounted for 11.8 percent of the U.S. Pima acreage. The most popular Pima variety in Arizona was Deltapine DP HTO (90.1 percent).

Estimates of the percentage of the various varieties of cotton planted in the United States for 2003 were based on informal surveys made by the Cotton Program Classing Offices. Those surveyed included ginner, seed dealers, extension agents, and other knowledgeable sources.

Estimated percentage of upland cotton planted to leading specified varieties, by growth area, 2003 crop

| | | | | | | | |
|---------------|---------------------------|--------------------------------------|--------------------------------------|----------------------------|------------------------------|--------------------------------------|--|
| Southeastern | DELTAPINE DP 555 BG/RR | DELTAPINE DP 458 B/RR | DELTAPINE DP 451 B/RR | DELTAPINE DP 5415RR | STONEVILLE ST 4892BR | DELTAPINE DP 5690RR | DELTAPINE DP 436 RR |
| | 22.89 | 13.66 | 12.59 | 6.47 | 4.75 | 4.52 | 3.78 |
| South Central | STONEVILLE ST 4892BR | PAYMASTER PM 1218 BG/RR | DELTAPINE DP 451 B/RR | DELTAPINE DP 555 BG/RR | SURE-GROW SG 215 BG/RR | STONEVILLE ST 4793R | STONEVILLE ST 5599BR |
| | 22.21 | 18.23 | 12.08 | 9.96 | 8.51 | 6.68 | 2.94 |
| Southwest | PAYMASTER PM 2326 RR | BAYER CROP SCI-FIBERMAX FM 958 | BAYER CROP SCI-FIBERMAX FM 832 | PAYMASTER PM 2379 RR | PAYMASTER Paymaster HS 26 | PAYMASTER PM 2280 BG/ RR | BAYER CROP SCI- FIBERMAX FM 989RR |
| | 9.77 | 9.64 | 6.91 | 4.37 | 4.35 | 3.76 | 3.41 |
| West | PHYTOGEN PHY 72 ACALA | CPCSD ACALA RIATA RR | CPCSD ACALA SIERRA RR | DELTAPINE DP 449 BG/RR | CPCSD Acala MAXXA | DELTAPINE DP 422 B/RR | DELTAPINE DP 555 BG/RR |
| | 27.76 | 12.63 | 11.30 | 10.76 | 6.49 | 4.13 | 1.94 |
| United States | DELTAPINE DP 555 BG/RR | STONEVILLE ST 4892BR | DELTAPINE DP 451 B/RR | PAYMASTER PM 1218 BG/RR | DELTAPINE DP 458 B/RR | BAYER CROP SCI-FIBERMAX FM 958 | PAYMASTER PM 2326 RR |
| | 8.68 | 7.88 | 6.50 | 5.94 | 4.55 | 4.49 | 4.30 |

Estimated percentage of upland cotton planted to leading specified brands, by growth areas, 2003 crop

| | | | | | | | |
|---------------|------------|----------------------------|----------------------------|----------------------------|----------------------------|------------------------------------|--------------------------------|
| Southeastern | DELTAPINE | STONEVILLE | SURE-GROW | BAYER CROP SCI-FIBERMAX | PAYMASTER | PHYTOGEN | AGRIPRO |
| | 69.79 | 8.78 | 8.31 | 7.84 | 3.12 | 0.74 | 0.28 |
| South Central | STONEVILLE | DELTAPINE | PAYMASTER | SURE-GROW | BAYER CROP SCI-FIBERMAX | PHYTOGEN | |
| | 33.80 | 29.60 | 19.41 | 11.53 | 5.19 | 0.41 | |
| Southwestern | PAYMASTER | BAYER CROP SCI-FIBERMAX | DELTAPINE | ALL-TEX | STONEVILLE | ASSOCIATED FARMERS DELINTING | BELTWISE COTTON GENETICS |
| | 35.07 | 28.01 | 16.62 | 6.99 | 4.99 | 1.60 | 1.58 |
| West | CPCSD | PHYTOGEN | DELTAPINE | STONEVILLE | ACALA | BAYER CROP SCI-FIBERMAX | AZ COTTON GROWERS |
| | 30.91 | 28.73 | 25.66 | 5.07 | 2.70 | 1.29 | 0.78 |
| United States | DELTAPINE | PAYMASTER | BAYER CROP SCI-FIBERMAX | STONEVILLE | SURE-GROW | ALL-TEX | PHYTOGEN |
| | 33.04 | 21.33 | 15.61 | 13.55 | 5.44 | 3.07 | 2.07 |

Table 1. Estimated percentage of upland cotton planted to specified varieties, by states and United States, crop of 2003

| Variety | | AL | AZ | AR | CA | FL | GA | KS | LA | MS | MO | NM | NC | OK | SC | TN | TX | VA | UNITED STATES |
|----------------------------|--------------------------|------|------|------|------|------|------|------|------|------|------|-------|-------|------|-------|------|-------|------|---------------|
| Acala | 1517-75 | - | - | - | - | - | - | - | - | - | - | 0.64 | - | - | - | - | - | - | - |
| | 1517-77 BR | - | 0.23 | - | - | - | - | - | - | - | - | 11.33 | - | - | - | - | - | - | - |
| | 1517-95 | - | - | - | - | - | - | - | - | - | - | 9.79 | - | - | - | - | - | - | 0.06 |
| | 1517-99 | - | - | - | - | - | - | - | - | - | - | 17.42 | - | - | - | - | - | - | 0.07 |
| Acala | Total | 0.00 | 0.23 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 39.18 | 0.00 | 0.00 | 0.00 | 0.00 | 0.04 | 0.00 | 0.18 |
| AgriPro | AP 6101 | - | 0.07 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | AP 7115 | - | 0.10 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | HS 44 | - | - | - | - | - | 0.27 | - | - | - | - | 3.63 | - | - | - | - | - | - | - |
| | HS 46 | 0.10 | - | - | - | - | 0.37 | - | - | - | - | - | - | - | - | - | - | - | - |
| AgriPro | Total | 0.10 | 0.17 | 0.00 | 0.00 | 0.00 | 0.64 | 0.00 | 0.00 | 0.00 | 0.00 | 3.63 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.08 |
| All-Tex | Atlas | - | - | - | - | - | - | 0.22 | - | - | - | - | - | 0.62 | - | - | 3.18 | - | 1.33 |
| | Atlas RR | - | - | - | - | - | - | - | - | - | - | - | - | 1.20 | - | - | 2.76 | - | 1.17 |
| | Excess | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | Excess RR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| All-Tex | Quickie | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.13 | - | 0.05 |
| | Top-Pick | - | - | - | - | - | - | - | - | - | - | - | - | 0.17 | - | - | 0.09 | - | - |
| | Xpress | - | - | - | - | - | - | 3.00 | - | - | - | - | - | 2.64 | - | - | 0.70 | - | 0.36 |
| | Xpress RR | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.27 | - | 0.11 |
| All-Tex | Total | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 3.22 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 4.63 | 0.00 | 0.00 | 7.15 | 0.00 | 3.07 |
| Assoc. Farmers Delinting | Explorer | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.46 | - | 0.19 |
| | Raider 202 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.10 | - | - |
| | Assoc. Farmers Delinting | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.32 | - | 0.13 |
| | Rocket | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.26 | - | 0.11 |
| Assoc. Farmers Delinting | AFD 2050 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | AFD 2051 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | AFD 2424 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | AFD 2485 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Assoc. Farmers Delinting | AFD 3511R | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.22 | - | 0.09 |
| | Total | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.22 | 0.00 | 0.09 |
| Arizona Cotton Growers | AG 3601 | 0.00 | 2.49 | 0.00 | 0.11 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1.07 | 0.00 | 0.00 | 0.00 | 0.00 | 1.69 | 0.00 | 0.70 |
| | FM 819 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.35 | - | 0.14 |
| | FM 819RR | - | - | - | - | - | - | - | - | - | - | 2.83 | 0.11 | - | - | - | 0.15 | - | 0.08 |
| | FM 832 | - | - | - | - | - | - | - | 1.47 | - | - | - | - | - | - | - | 0.15 | - | 0.08 |
| Bayer CropScience-Fibermax | FM 832B | - | - | - | - | - | - | - | 1.79 | - | - | 1.07 | - | - | - | - | 7.30 | - | 3.10 |
| | FM 958 | - | - | 0.49 | - | - | 0.07 | - | 0.16 | 0.81 | 4.31 | - | 0.55 | - | - | 0.21 | 10.18 | 0.90 | 4.49 |
| | FM 958B | - | - | 0.27 | - | - | 0.07 | - | 0.43 | 0.29 | 2.11 | - | 0.26 | - | - | - | 0.41 | - | 0.29 |
| | FM 9608R | 0.27 | - | 0.84 | - | - | 0.15 | - | 0.62 | 1.39 | 0.10 | 1.33 | 0.59 | 0.10 | 0.83 | - | 0.10 | 0.99 | 0.34 |
| Bayer CropScience-Fibermax | FM 966 | - | - | 0.94 | - | - | 0.70 | - | 0.05 | 0.25 | - | - | 0.65 | 0.10 | - | - | 0.15 | 1.23 | 0.27 |
| | FM 989 | - | - | 1.55 | - | - | 0.61 | - | 0.53 | 0.48 | - | - | 0.48 | 0.10 | - | - | 2.66 | - | 1.39 |
| | FM 989BR | 0.53 | 1.53 | 2.06 | - | - | 1.88 | - | 0.27 | 1.67 | - | - | 5.19 | - | 3.96 | 1.02 | 2.99 | 4.11 | 2.25 |
| | FM 989RR | 0.79 | 1.30 | 0.46 | - | 0.07 | 2.23 | - | 0.11 | 0.07 | 0.29 | 1.07 | 2.99 | 0.50 | 1.65 | 0.06 | 3.58 | 1.61 | 2.05 |
| Bayer CropScience-Fibermax | FM 991BR | - | - | - | - | - | 0.71 | - | 0.45 | - | - | - | 0.72 | - | 1.70 | - | 0.06 | - | 0.19 |
| | FM 991RR | 1.16 | - | - | - | - | 0.24 | - | 0.05 | - | - | 1.97 | 0.75 | - | 2.96 | - | 0.26 | - | 0.29 |
| | FM 5013 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.06 | - | - |
| | FM 5017 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Bayer CropScience-Fibermax | FM 5024BXN | - | - | - | - | - | - | - | - | - | - | - | - | 0.38 | - | - | - | - | - |
| | Total | 3.56 | 2.85 | 6.60 | 0.00 | 0.07 | 6.68 | 0.00 | 5.93 | 4.95 | 6.85 | 8.27 | 12.32 | 1.12 | 11.10 | 1.34 | 29.55 | 8.84 | 15.61 |
| Beltside Cotton Genetics | BCG-24R | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.33 | - | 0.14 |
| | BCG-28R | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.41 | - | 0.17 |
| | BCG-30R | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.79 | - | 0.33 |
| | BCG-245 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.08 | - | - |
| Beltside Cotton Genetics | BCG-295 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.06 | - | - |
| | Total | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1.67 | 0.00 | 0.70 |
| Bronco | Bronco 324 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | Bronco 414 | - | - | - | - | - | - | - | - | - | - | - | - | 0.54 | - | - | 0.08 | - | - |
| | Bronco 655M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.11 | - | - |
| | Total | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.54 | 0.00 | 0.00 | 0.21 | 0.00 | 0.09 |

Table 1. Continued

| Variety | AL | AZ | AR | CA | FL | GA | KS | LA | MS | MO | NM | NC | OK | SC | TN | TX | VA | UNITED STATES |
|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---------------|
| Concho | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Concho | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Concho | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.45 | 0.00 | 0.19 |
| CPCSD | - | - | - | 9.62 | - | - | - | - | - | - | - | - | - | - | - | 0.50 | - | 0.21 |
| CPCSD | - | - | - | 18.72 | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.39 |
| CPCSD | - | - | - | 16.74 | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.77 |
| CPCSD | - | - | - | 0.73 | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.68 |
| CPCSD | 0.00 | 0.00 | 0.00 | 45.81 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1.87 |
| Deltapine | 0.86 | - | - | - | - | 0.99 | - | 4.27 | - | - | - | - | - | 0.14 | - | - | - | 0.31 |
| Deltapine | - | 0.21 | - | - | - | 0.09 | - | - | - | - | - | - | - | - | - | - | - | - |
| Deltapine | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1.83 | - | 0.77 |
| Deltapine | - | 0.29 | - | - | - | - | - | 0.60 | - | - | - | - | - | - | 0.07 | 0.18 | - | 0.11 |
| Deltapine | - | 1.59 | - | 1.23 | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.11 |
| Deltapine | 0.27 | - | - | - | - | 0.09 | - | 0.29 | - | 0.19 | - | - | - | - | - | - | - | - |
| Deltapine | 0.27 | 15.70 | - | 0.12 | - | 0.18 | - | 0.26 | 0.32 | - | - | - | - | 0.17 | - | 0.12 | - | 0.38 |
| Deltapine | - | - | - | - | - | - | - | 0.12 | 0.29 | - | - | 0.09 | - | - | - | - | - | - |
| Deltapine | 0.45 | - | 0.16 | - | - | 0.33 | - | 1.91 | 4.49 | 2.93 | - | 6.89 | - | 0.09 | 1.27 | 0.64 | 0.19 | 0.08 |
| Deltapine | 3.98 | 0.83 | 1.41 | - | 1.89 | 1.76 | - | 0.45 | 1.15 | - | - | 0.06 | - | 0.09 | - | 0.06 | 14.95 | 1.85 |
| Deltapine | - | - | 0.34 | - | - | - | - | 0.41 | - | - | - | - | 1.79 | - | - | - | 0.16 | 0.15 |
| Deltapine | - | 0.71 | - | 0.44 | - | - | - | 1.23 | - | - | - | - | - | - | - | - | - | 0.12 |
| Deltapine | 0.34 | 37.09 | 0.15 | 1.78 | 0.42 | 0.47 | - | 0.60 | 0.22 | - | - | 0.17 | - | - | - | - | - | 0.85 |
| Deltapine | 13.59 | 1.63 | 15.51 | 0.44 | 10.30 | 4.74 | - | 10.12 | 8.97 | 6.13 | - | 24.82 | 1.41 | 3.16 | 18.68 | 0.67 | 34.11 | 6.50 |
| Deltapine | 9.42 | - | 0.06 | 0.45 | 33.47 | 19.42 | - | 9.03 | 1.96 | - | - | 7.23 | 1.83 | 11.76 | - | 1.87 | 0.09 | 4.55 |
| Deltapine | - | 0.07 | 0.08 | - | 0.49 | 1.44 | - | 0.45 | - | - | - | 0.06 | - | 0.09 | - | - | - | 0.18 |
| Deltapine | 0.89 | - | - | - | - | 0.37 | - | 0.41 | - | - | - | 0.21 | - | 0.11 | - | 0.55 | - | 0.34 |
| Deltapine | - | - | - | - | - | - | - | 1.22 | - | - | - | 0.13 | - | 0.11 | - | - | - | 0.07 |
| Deltapine | 11.10 | 4.26 | 3.86 | 1.25 | 34.42 | 33.52 | - | 30.79 | 13.06 | - | - | 11.55 | 8.39 | 35.15 | 0.78 | 1.06 | 1.84 | 8.68 |
| Deltapine | - | 0.25 | - | 0.14 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Deltapine | 2.89 | 2.87 | - | 0.17 | 1.40 | 0.29 | - | - | - | - | - | 0.59 | 13.23 | 1.93 | - | 0.81 | - | 0.81 |
| Deltapine | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Deltapine | 1.09 | - | - | - | - | 1.42 | - | 0.12 | - | - | 2.00 | - | - | - | - | - | - | - |
| Deltapine | 8.86 | 0.05 | 0.26 | 1.15 | 6.09 | 6.00 | - | 2.34 | 0.13 | - | 3.33 | 5.73 | - | 0.35 | - | 1.01 | 0.09 | 0.62 |
| Deltapine | 0.27 | 0.68 | - | - | - | 0.66 | - | - | - | - | - | - | 0.13 | 8.52 | - | 3.23 | - | 3.04 |
| Deltapine | 6.31 | 1.74 | - | - | 9.35 | 5.95 | - | - | - | - | 2.00 | 1.64 | 0.51 | 2.44 | - | 2.48 | - | 1.12 |
| Deltapine | - | - | - | 1.17 | - | - | - | - | - | - | - | - | - | - | - | 1.49 | - | 1.72 |
| Deltapine | - | 0.09 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Deltapine | 0.23 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Deltapine | - | 1.50 | - | 0.23 | - | 2.60 | - | 0.78 | - | - | - | - | - | - | - | - | - | - |
| Deltapine | 0.05 | - | - | - | - | 0.27 | - | - | - | - | - | - | 1.34 | - | - | 0.25 | - | 0.43 |
| Deltapine | 60.90 | 69.60 | 21.86 | 8.64 | 97.83 | 80.62 | 0.00 | 64.56 | 30.59 | 9.33 | 28.02 | 59.30 | 28.67 | 64.15 | 20.88 | 16.58 | 51.43 | 33.04 |
| G & P | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| G & P | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| G & P | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.08 | 0.00 | 0.05 |
| Germain's | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.53 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Paymaster | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.16 | - | 0.07 |
| Paymaster | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Paymaster | - | - | - | - | - | - | - | - | - | 1.28 | - | - | - | - | - | 0.23 | - | 0.13 |
| Paymaster | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1.33 | - | 0.55 |
| Paymaster | - | - | - | - | - | 0.05 | - | - | - | - | - | - | - | - | - | 4.60 | - | 1.92 |
| Paymaster | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.48 | - | 0.20 |
| Paymaster | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Paymaster | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Paymaster | 0.21 | - | 0.89 | - | - | - | - | - | - | 2.23 | - | 1.59 | - | 0.18 | 3.72 | 0.22 | 3.76 | 0.50 |
| Paymaster | 10.05 | - | 12.65 | - | - | - | - | 8.42 | 11.17 | 13.82 | 1.97 | 1.26 | 4.83 | 2.25 | 54.56 | 1.11 | 2.13 | 5.94 |
| Paymaster | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Paymaster | 0.59 | 0.15 | - | - | - | - | 2.89 | 0.06 | - | - | - | 0.08 | - | 0.20 | - | - | - | 0.06 |
| Paymaster | - | - | - | - | - | - | 58.34 | - | - | - | - | - | 4.02 | - | - | 1.29 | - | 1.14 |

Table 1. Continued

| Variety | | AL | AZ | AR | CA | FL | GA | KS | LA | MS | MO | NM | NC | OK | SC | TN | TX | VA | UNITED STATES |
|-------------------|------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------------|
| Paymaster | PM 2156 RR | - | - | - | - | - | - | 0.67 | - | - | - | - | - | 0.20 | - | - | 0.13 | - | 0.06 |
| Paymaster | PM 2167 RR | - | - | - | - | - | - | 16.11 | - | - | - | - | - | 3.34 | - | - | 0.78 | - | 0.52 |
| Paymaster | PM 2200 RR | - | - | - | - | - | - | 6.44 | - | - | - | - | - | 8.47 | - | - | 1.40 | - | 0.78 |
| Paymaster | PM 2266 RR | - | - | - | - | - | - | 0.22 | - | - | - | - | - | 4.95 | - | - | 3.01 | - | 1.32 |
| Paymaster | PM 2280 BG/RR | - | - | - | - | - | - | 0.89 | - | - | - | - | - | 6.74 | - | - | 3.73 | - | 1.65 |
| Paymaster | PM 2326 BG/RR | - | - | - | - | - | - | - | - | - | - | - | - | 4.45 | - | - | 0.33 | - | 0.20 |
| Paymaster | PM 2326 RR | - | - | - | - | - | - | 5.78 | - | - | - | - | - | 8.34 | - | - | 9.91 | - | 4.30 |
| Paymaster | PM 2344 BG/RR | - | - | - | - | - | - | - | - | - | - | - | - | 2.26 | - | - | - | - | 1.92 |
| Paymaster | PM 2379 RR | - | - | - | - | - | - | - | - | - | - | - | - | 2.29 | - | - | 4.54 | - | 21.33 |
| Paymaster | Total | 10.85 | 0.15 | 13.34 | 0.00 | 0.00 | 0.05 | 91.34 | 8.51 | 11.22 | 17.33 | 1.97 | 2.93 | 49.88 | 2.63 | 58.28 | 33.31 | 5.89 | - |
| Phylogen | GA 161 | - | - | - | - | - | 0.05 | - | - | - | - | - | - | - | - | - | - | - | - |
| Phylogen | HS 12 | - | - | - | - | - | 0.30 | - | - | - | - | - | - | - | - | - | - | - | - |
| Phylogen | PHY 72 Acala | - | - | - | 41.14 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1.68 |
| Phylogen | PHY 78 Acala | - | - | - | 1.43 | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.06 |
| Phylogen | PSC 355 | 1.27 | - | 0.30 | - | - | 0.13 | - | - | 1.02 | - | - | 0.82 | - | 0.74 | - | 0.08 | 1.27 | 0.28 |
| Phylogen | PSC 413 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Phylogen | Total | 1.27 | 0.00 | 0.30 | 42.57 | 0.00 | 0.48 | 0.00 | 0.00 | 1.02 | 0.00 | 0.00 | 0.82 | 0.00 | 0.74 | 0.05 | 0.12 | 1.27 | 2.07 |
| Seedco | 9023 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.27 | 0.00 | 0.11 |
| Stoneville | AP 9257 | - | 0.65 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Stoneville | AP 7128 | - | 0.77 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Stoneville | BXN 16 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Stoneville | BXN 47 | - | - | 0.27 | - | - | - | - | 0.17 | 0.54 | 1.42 | 4.13 | 0.08 | 0.12 | - | 0.62 | - | - | 0.18 |
| Stoneville | BXN 49B | - | 1.38 | 1.43 | - | - | - | - | 0.18 | 0.32 | 0.80 | 4.19 | 0.06 | - | - | - | 0.19 | - | 0.28 |
| Stoneville | GC-505 | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.13 | - | - | - | - |
| Stoneville | ST 457 | - | - | - | 0.07 | - | - | - | - | - | 0.08 | - | - | - | - | - | - | - | - |
| Stoneville | ST 474 | 0.94 | 0.11 | - | - | - | 0.09 | - | 0.17 | 0.07 | 0.72 | - | 0.26 | - | - | - | - | - | 0.12 |
| Stoneville | ST 2454R | - | - | - | - | - | - | 5.44 | - | - | - | - | - | 0.82 | - | - | 2.11 | - | 0.94 |
| Stoneville | ST 3539BR | - | - | - | - | - | - | - | - | - | - | - | - | 0.10 | - | - | 0.14 | - | 0.06 |
| Stoneville | ST 4563B2 | - | - | - | - | - | - | - | - | 0.23 | - | - | - | 0.25 | - | - | - | - | - |
| Stoneville | ST 4691B | - | 2.91 | 1.27 | - | - | - | - | 0.39 | 0.56 | - | - | 0.42 | 0.25 | - | - | - | - | 0.23 |
| Stoneville | ST 4793R | 2.74 | 0.08 | 10.97 | - | 0.07 | 0.90 | - | 0.38 | 5.43 | 15.09 | - | 2.13 | 0.83 | 0.57 | 2.05 | 0.10 | 0.63 | 2.18 |
| Stoneville | ST 4892BR | 6.22 | 2.84 | 29.56 | 0.09 | 1.54 | 2.88 | - | 4.97 | 27.12 | 34.47 | 1.60 | 6.43 | 11.59 | 2.47 | 8.08 | 1.53 | 16.61 | 7.88 |
| Stoneville | ST 5303R | 0.27 | 2.05 | - | - | - | 1.02 | - | - | 0.18 | - | - | 0.11 | - | 1.40 | 0.07 | - | 0.28 | 0.21 |
| Stoneville | ST 5599BR | 0.65 | 2.99 | 2.23 | - | - | 1.00 | - | 7.33 | 3.68 | 0.56 | - | 2.11 | 0.73 | 4.31 | 0.07 | 0.49 | 0.97 | 1.39 |
| Stoneville | Total | 10.86 | 16.56 | 45.77 | 0.19 | 1.61 | 5.90 | 5.44 | 13.59 | 38.12 | 53.14 | 9.92 | 11.60 | 14.44 | 8.89 | 10.89 | 4.66 | 18.49 | 13.55 |
| Sure-Grow | SG 215 BG/RR | 2.75 | - | 11.11 | - | 0.49 | 1.49 | - | 4.54 | 11.14 | 7.18 | - | 7.19 | - | 5.85 | 3.71 | 0.68 | 7.34 | 3.42 |
| Sure-Grow | Sure-Grow 96 | - | 0.45 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Sure-Grow | Sure-Grow 105 | - | - | 0.12 | 0.07 | - | - | - | - | 0.10 | 2.17 | - | 0.12 | - | 0.13 | - | - | 0.12 | 0.09 |
| Sure-Grow | Sure-Grow 125 | 0.62 | - | - | - | - | 0.19 | - | - | - | - | - | 0.17 | - | 0.11 | 0.17 | - | - | 0.07 |
| Sure-Grow | Sure-Grow 125BR | 0.95 | 0.70 | 0.29 | 0.15 | - | 0.50 | - | - | - | - | 3.33 | 0.21 | - | 0.11 | 1.12 | - | - | 0.21 |
| Sure-Grow | Sure-Grow 501B/R | 1.46 | - | - | - | - | 0.68 | - | 2.17 | 1.22 | 1.03 | - | 2.80 | - | 3.55 | 2.94 | 0.10 | 2.96 | 0.78 |
| Sure-Grow | Sure-Grow 521R | 4.79 | 0.06 | 0.53 | - | - | 0.69 | - | 0.70 | 1.55 | 2.65 | - | 2.41 | - | 2.84 | 0.39 | 0.07 | 3.60 | 0.81 |
| Sure-Grow | Sure-Grow 747 | 0.41 | 0.08 | - | - | - | - | - | - | 0.08 | 0.08 | - | 0.05 | - | - | - | 0.06 | - | 0.06 |
| Sure-Grow | Sure-Grow 821 | - | 0.25 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Sure-Grow | Total | 10.98 | 1.54 | 12.10 | 0.21 | 0.49 | 3.55 | 0.00 | 7.41 | 14.09 | 13.11 | 3.33 | 12.95 | 0.00 | 12.48 | 8.38 | 0.93 | 14.02 | 5.44 |
| Tamcot | CAB-CS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.22 | - | 0.09 |
| Tamcot | Spinx | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.55 | - | 0.24 |
| Tamcot | Total | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.72 | 0.00 | 0.00 | 0.77 | 0.00 | 0.33 |
| West Gaines | WG 4207 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.14 | - | 0.06 |
| West Gaines | WG 8120 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.16 | - | 0.06 |
| West Gaines | Total | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.29 | 0.00 | 0.12 |
| Western | Western 180 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.04 |
| Miscellaneous | Miscellaneous | 1.48 | 8.41 | 0.02 | 2.47 | 0.00 | 2.08 | 0.00 | 0.00 | 0.00 | 0.23 | 4.08 | 0.08 | 0.00 | 0.01 | 0.18 | 2.06 | 0.05 | 1.36 |
| Total | | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 |
| Total Transgenics | | 91.46 | 83.05 | 98.46 | 41.74 | 100.00 | 91.50 | 98.78 | 91.55 | 97.67 | 90.82 | 50.17 | 96.39 | 94.99 | 98.14 | 99.21 | 56.33 | 98.43 | 76.22 |

Table 2. Abilene Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2003

| STATE | Deltapine DP 5415RR | Paymaster PM 2145 RR | Paymaster HS 26 | Stoneville ST 4892BR | Paymaster PM 2200 RR | Paymaster PM 2379 RR | Deltapine DP 458 B/RR | Paymaster PM 1218 BG/RR | Paymaster PM 2280 BG/RR | Deltapine DP 5690RR | Deltapine DP 5690 | Paymaster PM 2326 RR | OTHER | TOTAL |
|--------------|------------------------|-------------------------|--------------------|-------------------------|-------------------------|-------------------------|--------------------------|----------------------------|----------------------------|------------------------|----------------------|-------------------------|-------|--------|
| | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PCT. | PCT. |
| Kansas | 0.00 | 58.34 | 0.00 | 0.00 | 6.44 | 0.00 | 0.00 | 0.00 | 0.89 | 0.00 | 0.00 | 5.78 | 28.55 | 100.00 |
| Oklahoma | 0.00 | 4.02 | 0.00 | 11.59 | 8.47 | 2.29 | 1.83 | 4.83 | 6.74 | 0.51 | 0.13 | 8.34 | 51.26 | 100.00 |
| Texas | 8.31 | 0.28 | 6.16 | 4.26 | 4.06 | 5.58 | 5.64 | 4.64 | 4.12 | 4.89 | 4.69 | 2.81 | 44.57 | 100.00 |
| OFFICE TOTAL | 6.69 | 5.21 | 4.96 | 4.79 | 4.76 | 4.76 | 4.75 | 4.30 | 4.18 | 4.00 | 3.79 | 3.69 | 44.11 | 100.00 |

NOTE: Totals may not add due to rounding.

Table 3. Birmingham Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2003

| STATE | Deltapine DP 555 BG/RR | Deltapine DP 451 B/RR | Deltapine DP 458 B/RR | Paymaster PM 1218 BG/RR | Deltapine DP 5415RR | Stoneville ST 4892BR | Deltapine DP 5690RR | Sure-Grow Sure-Grow 521R | Deltapine DP 436 RR | Deltapine DP 655 B/RR | Sure-Grow SG 215 BG/RR | Stoneville ST 4793R | OTHER | TOTAL |
|--------------|---------------------------|--------------------------|--------------------------|----------------------------|------------------------|-------------------------|------------------------|-----------------------------|------------------------|--------------------------|---------------------------|------------------------|-------|--------|
| | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PCT. | PCT. |
| Alabama | 11.10 | 13.59 | 9.42 | 10.05 | 8.86 | 6.22 | 6.31 | 4.79 | 3.98 | 2.89 | 2.75 | 2.74 | 17.29 | 100.00 |
| Florida | 40.60 | 4.00 | 37.10 | 0.00 | 8.70 | 2.20 | 0.50 | 0.00 | 2.70 | 2.00 | 0.70 | 0.10 | 1.40 | 100.00 |
| OFFICE TOTAL | 14.38 | 12.53 | 12.50 | 8.93 | 8.84 | 5.77 | 5.66 | 4.26 | 3.84 | 2.79 | 2.52 | 2.45 | 15.53 | 100.00 |

NOTE: Totals may not add due to rounding.

Table 4. Corpus Christi Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2003

| STATE | BCS Fibremax FM 832 | BCS Fibremax FM 989 | BCS Fibremax FM 832B | Deltapine DP 555 BG/RR | BCS Fibremax FM 989RR | Beltwide Cot Gen BCG-30R | Deltapine DP 491 | BCS Fibremax FM 958 | BCS Fibremax FM 989BR | Deltapine DP 436 RR | Deltapine DP 458 B/RR | Deltapine DP 451 B/RR | OTHER | TOTAL |
|-------|------------------------|------------------------|-------------------------|---------------------------|--------------------------|-----------------------------|---------------------|------------------------|--------------------------|------------------------|--------------------------|--------------------------|-------|--------|
| | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PCT. | PCT. |
| Texas | 42.97 | 7.27 | 6.42 | 4.42 | 4.15 | 4.14 | 3.47 | 3.20 | 2.61 | 2.14 | 1.85 | 1.67 | 15.70 | 100.00 |

NOTE: Totals may not add due to rounding.

Table 5. Dumas Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2003

| STATE | Stoneville ST 4892BR | Deltapine DP 451 B/RR | Deltapine DP 555 BG/RR | Sure-Grow SG 215 BG/RR | Paymaster PM 1218 BG/RR | Stoneville ST 4793R | Deltapine DP 436 RR | Stoneville ST 5599BR | BCS Fibremax FM 989BR | BCS Fibremax FM 960BR | Stoneville ST 4691B | Sure-Grow Sure-Grow 521R | OTHER | TOTAL |
|--------------|-------------------------|--------------------------|---------------------------|---------------------------|----------------------------|------------------------|------------------------|-------------------------|--------------------------|--------------------------|------------------------|-----------------------------|-------|--------|
| | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PCT. | PCT. |
| Arkansas | 18.16 | 25.11 | 7.02 | 9.93 | 14.20 | 4.34 | 1.31 | 2.65 | 3.74 | 2.10 | 3.33 | 0.16 | 7.95 | 100.00 |
| Mississippi | 29.32 | 7.29 | 13.80 | 11.61 | 9.31 | 5.20 | 4.80 | 4.13 | 1.57 | 1.57 | 0.64 | 1.68 | 9.10 | 100.00 |
| OFFICE TOTAL | 26.33 | 12.06 | 11.98 | 11.16 | 10.62 | 4.97 | 3.86 | 3.73 | 2.15 | 1.71 | 1.36 | 1.27 | 8.79 | 100.00 |

NOTE: Totals may not add due to rounding.

Table 6. Florence Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2003

| STATE | Deltapine DP 451 B/RR | Deltapine DP 555 BG/RR | Deltapine DP 458 B/RR | Sure-Grow SG 215 BG/RR | Stoneville ST 4892BR | Deltapine DP 436 RR | Deltapine DP 5415RR | BCS Fibermex FM 989BR | Sure-Grow Sure-Grow 501B/R | BCS Fibermex FM 989RR | Sure-Grow Sure-Grow 521R | Stoneville ST 5599BR | OTHER | TOTAL |
|----------------|--------------------------|---------------------------|--------------------------|---------------------------|-------------------------|------------------------|------------------------|--------------------------|-------------------------------|--------------------------|-----------------------------|-------------------------|-------|--------|
| | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PCT. | PCT. |
| North Carolina | 24.82 | 11.55 | 7.23 | 7.19 | 6.43 | 6.89 | 5.73 | 5.19 | 2.80 | 2.99 | 2.41 | 2.11 | 14.66 | 100.00 |
| South Carolina | 3.16 | 35.15 | 11.76 | 5.85 | 2.47 | 0.09 | 8.52 | 3.96 | 3.55 | 1.65 | 2.84 | 4.31 | 16.69 | 100.00 |
| Virginia | 34.11 | 1.84 | 0.09 | 7.34 | 16.61 | 14.95 | 0.09 | 4.11 | 2.96 | 1.61 | 3.60 | 0.97 | 11.71 | 100.00 |
| OFFICE TOTAL | 20.95 | 15.80 | 7.64 | 6.92 | 6.38 | 6.07 | 5.89 | 4.85 | 2.97 | 2.60 | 2.59 | 2.49 | 14.86 | 100.00 |

NOTE: Totals may not add due to rounding.

Table 7. Lamesa Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2003

| STATE | BCS Fibermex FM 958 | Deltapine DP 5690 | Paymaster Paymaster HS 26 | Deltapine Deltapine Acala 90 | Paymaster PM 2326 RR | All-Tex Atlas RR | Paymaster HS 200 | All-Tex Atlas | BCS Fibermex FM 989BR | BCS Fibermex FM 989RR | BCS Fibermex FM 989 | Paymaster PM 2266 RR | OTHER | TOTAL |
|-------|------------------------|----------------------|------------------------------|---------------------------------|-------------------------|---------------------|---------------------|------------------|--------------------------|--------------------------|------------------------|-------------------------|-------|--------|
| | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PCT. | PCT. |
| Texas | 10.53 | 8.56 | 8.24 | 8.08 | 6.58 | 6.24 | 6.09 | 5.55 | 3.67 | 3.40 | 3.25 | 2.15 | 27.67 | 100.00 |

NOTE: Totals may not add due to rounding.

Table 8. Lubbock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2003

| STATE | Paymaster PM 2326 RR | BCS Fibermex FM 958 | Paymaster PM 2379 RR | Paymaster PM 2280 BG/RR | BCS Fibermex FM 989RR | Paymaster PM 2266 RR | Paymaster HS 26 | All-Tex Atlas RR | Stoneville ST 2454R | All-Tex Atlas | BCS Fibermex FM 989BR | Paymaster PM 2145 RR | OTHER | TOTAL |
|-------|-------------------------|------------------------|-------------------------|----------------------------|--------------------------|-------------------------|--------------------|---------------------|------------------------|------------------|--------------------------|-------------------------|-------|--------|
| | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PCT. | PCT. |
| Texas | 18.17 | 17.73 | 6.76 | 6.03 | 5.12 | 4.15 | 4.08 | 3.68 | 3.62 | 3.16 | 2.87 | 2.71 | 21.92 | 100.00 |

NOTE: Totals may not add due to rounding.

Table 9. Macon Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2003

| STATE | Deltapine DP 555 BG/RR | Deltapine DP 458 B/RR | Deltapine DP 5690RR | Deltapine DP 5415RR | Deltapine DP 451 B/RR | Stoneville ST 4892BR | Deltapine NuCOTN 33 B | BCS Fibermex FM 989RR | BCS Fibermex FM 989BR | Deltapine DP 436 RR | Sure-Grow SG 215 BG/RR | Deltapine DP 468 BGII/RR | OTHER | TOTAL |
|--------------|---------------------------|--------------------------|------------------------|------------------------|--------------------------|-------------------------|--------------------------|--------------------------|--------------------------|------------------------|---------------------------|-----------------------------|-------|--------|
| | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PCT. | PCT. |
| Florida | 20.00 | 25.00 | 30.00 | 0.00 | 25.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 100.00 |
| Georgia | 33.52 | 19.42 | 5.95 | 6.00 | 4.74 | 2.88 | 2.60 | 2.23 | 1.88 | 1.76 | 1.49 | 1.44 | 16.09 | 100.00 |
| OFFICE TOTAL | 33.22 | 19.55 | 6.49 | 5.86 | 5.20 | 2.82 | 2.54 | 2.18 | 1.84 | 1.72 | 1.46 | 1.41 | 15.73 | 100.00 |

NOTE: Totals may not add due to rounding.

Table 10. Memphis Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2003

| STATE | Paymaster PM 1218 BG/RR | Stoneville ST 4892BR | Deltapine DP 451 B/RR | Stoneville ST 4793R | Sure-Grow SG 215 BG/RR | Paymaster PM 1199 RR | Deltapine DP 436 RR | BCS Fibermax FM 958 | Sure-Grow Sure-Grow 501B/R | Sure-Grow Sure-Grow 521R | BCS Fibermax FM 989BR | Stoneville ST 5599BR | OTHER | TOTAL |
|--------------|----------------------------|-------------------------|--------------------------|------------------------|---------------------------|-------------------------|------------------------|------------------------|-------------------------------|-----------------------------|--------------------------|-------------------------|-------|--------|
| | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PCT. | PCT. |
| Arkansas | 12.41 | 38.13 | 9.14 | 15.79 | 10.85 | 1.18 | 1.38 | 0.84 | 0.06 | 0.66 | 1.09 | 1.73 | 6.75 | 100.00 |
| Mississippi | 29.89 | 12.80 | 23.53 | 8.79 | 8.06 | 0.00 | 1.55 | 2.97 | 0.52 | 0.52 | 2.93 | 0.00 | 8.43 | 100.00 |
| Missouri | 13.82 | 34.47 | 6.13 | 15.09 | 7.18 | 2.23 | 2.93 | 4.31 | 1.03 | 2.65 | 0.04 | 0.56 | 9.55 | 100.00 |
| Tennessee | 54.56 | 8.08 | 18.68 | 2.05 | 3.71 | 3.72 | 1.27 | 0.21 | 2.94 | 0.39 | 1.02 | 0.07 | 3.30 | 100.00 |
| OFFICE TOTAL | 28.46 | 25.17 | 12.66 | 10.41 | 7.30 | 2.23 | 1.73 | 1.62 | 1.32 | 1.05 | 0.93 | 0.75 | 6.36 | 100.00 |

NOTE: Totals may not add due to rounding.

Table 11. Phoenix Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2003

| STATE | Deltapine DP 449 BG/RR | Deltapine DP 422 B/RR | Deltapine DP 655 B/RR | Deltapine DP 555 BG/RR | Acala 1517-99 | Deltapine NuCOTN 33 B | Deltapine NuCOTN 35 B | Deltapine DP 388 | Stoneville ST 4892BR | Acala 1517-77 BR | AZ Cotton Growers AG 3601 | Stoneville ST 5599BR | OTHER | TOTAL |
|--------------|---------------------------|--------------------------|--------------------------|---------------------------|------------------|--------------------------|--------------------------|---------------------|-------------------------|---------------------|------------------------------|-------------------------|-------|--------|
| | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PCT. | PCT. |
| Arizona | 37.09 | 15.70 | 2.87 | 4.26 | 0.00 | 1.50 | 0.00 | 1.59 | 2.84 | 0.23 | 2.49 | 2.99 | 28.44 | 100.00 |
| California | 39.46 | 2.73 | 3.87 | 2.73 | 0.00 | 5.21 | 0.98 | 0.00 | 1.99 | 0.00 | 2.34 | 0.00 | 40.68 | 100.00 |
| New Mexico | 0.00 | 0.00 | 0.00 | 0.00 | 17.42 | 2.08 | 7.94 | 8.00 | 1.60 | 11.33 | 1.07 | 0.00 | 50.56 | 100.00 |
| Texas | 0.00 | 0.00 | 20.00 | 0.00 | 0.00 | 20.00 | 20.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 40.00 | 100.00 |
| OFFICE TOTAL | 28.67 | 11.00 | 3.33 | 3.15 | 3.13 | 2.87 | 2.55 | 2.53 | 2.40 | 2.20 | 2.09 | 2.05 | 34.02 | 100.00 |

NOTE: Totals may not add due to rounding.

Table 12. Rayville Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2003

| STATE | Deltapine DP 555 BG/RR | Deltapine DP 451 B/RR | Deltapine DP 458 B/RR | Paymaster PM 1218 BG/RR | Stoneville ST 5599BR | Sure-Grow SG 215 BG/RR | Stoneville ST 4892BR | Deltapine DeltaPEARL | Deltapine DP 5415RR | Deltapine DP 436 RR | Sure-Grow Sure-Grow 501B/R | BCS Fibermax FM 832B | OTHER | TOTAL |
|--------------|---------------------------|--------------------------|--------------------------|----------------------------|-------------------------|---------------------------|-------------------------|-------------------------|------------------------|------------------------|-------------------------------|-------------------------|-------|--------|
| | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PCT. | PCT. |
| Arkansas | 25.01 | 17.66 | 0.00 | 0.00 | 6.00 | 28.34 | 10.00 | 0.00 | 0.00 | 3.00 | 0.00 | 0.00 | 9.99 | 100.00 |
| Louisiana | 30.79 | 10.12 | 9.03 | 8.42 | 7.33 | 4.54 | 4.97 | 4.27 | 2.34 | 1.91 | 2.17 | 1.79 | 12.32 | 100.00 |
| Mississippi | 33.40 | 11.54 | 25.62 | 3.05 | 2.18 | 6.23 | 2.97 | 0.00 | 0.00 | 5.18 | 0.54 | 0.00 | 9.28 | 100.00 |
| OFFICE TOTAL | 30.58 | 10.59 | 9.22 | 7.74 | 7.04 | 5.91 | 5.16 | 3.86 | 2.12 | 2.11 | 1.98 | 1.62 | 12.07 | 100.00 |

NOTE: Totals may not add due to rounding.

Table 13. Visalia Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2003

| STATE | Phytogen PHY 72 Acala | CPCSD Acala Riata RR | CPCSD Acala Sierra RR | CPCSD Acala MAXXA | Phytogen PHY 78 Acala | Deltapine DP 388 | Deltapine DP 6207 Acala | Deltapine DP 555 BG/RR | Deltapine DP 5415RR | CPCSD Acala Ultima | Sure-Grow Sure-Grow 105 | Acala 1517-75 | OTHER | TOTAL |
|------------|--------------------------|-------------------------|--------------------------|----------------------|--------------------------|---------------------|----------------------------|---------------------------|------------------------|-----------------------|----------------------------|------------------|-------|--------|
| | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PERCENT | PCT. | PCT. |
| California | 43.07 | 19.60 | 17.53 | 10.07 | 1.50 | 1.29 | 1.23 | 1.18 | 1.18 | 0.76 | 0.07 | 0.00 | 2.51 | 100.00 |

NOTE: Totals may not add due to rounding.

Table 14. Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, crop of 2003

| State | Deltapine DP 340 Pima | Deltapine DP 744 Pima | Deltapine DP HTO Pima | Phytogen PHY 76 Pima | Public Pima S-6 | Public Pima S-7 | - | - | - | Misc. | TOTAL |
|----------------------|--------------------------|--------------------------|--------------------------|-------------------------|--------------------|--------------------|-------------|-------------|-------------|-------------|---------------|
| | Percent | Percent | Percent | Percent | Percent | Percent | | | | Percent | Percent |
| Arizona | 9.90 | 0.00 | 90.10 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 100.00 |
| California | 10.76 | 17.28 | 3.17 | 67.45 | 0.00 | 1.34 | 0.00 | 0.00 | 0.00 | 0.00 | 100.00 |
| New Mexico | 42.00 | 30.00 | 12.00 | 2.00 | 7.00 | 7.00 | 0.00 | 0.00 | 0.00 | 0.00 | 100.00 |
| Texas | 10.70 | 0.00 | 12.43 | 0.00 | 64.16 | 12.71 | 0.00 | 0.00 | 0.00 | 0.00 | 100.00 |
| United States | 11.78 | 15.44 | 6.38 | 56.41 | 7.25 | 2.74 | 0.00 | 0.00 | 0.00 | 0.00 | 100.00 |

Table 15. Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing offices, crop of 2003

| Classing Office | Deltapine DP 340 Pima | Deltapine DP 744 Pima | Deltapine DP HTO Pima | Phytogen PHY 76 Pima | Public Pima S-6 | Public Pima S-7 | - | - | - | Misc. | TOTAL |
|----------------------|--------------------------|--------------------------|--------------------------|-------------------------|--------------------|--------------------|-------------|-------------|-------------|-------------|---------------|
| | Percent | Percent | Percent | Percent | Percent | Percent | | | | Percent | Percent |
| PHOENIX: | | | | | | | | | | | |
| AZ | 9.90 | 0.00 | 90.10 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 100.00 |
| NM | 42.00 | 30.00 | 12.00 | 2.00 | 7.00 | 7.00 | 0.00 | 0.00 | 0.00 | 0.00 | 100.00 |
| TX | 10.70 | 0.00 | 12.43 | 0.00 | 64.16 | 12.71 | 0.00 | 0.00 | 0.00 | 0.00 | 100.00 |
| Office total | 16.98 | 6.12 | 22.65 | 0.41 | 43.98 | 9.86 | 0.00 | 0.00 | 0.00 | 0.00 | 100.00 |
| VISALIA | | | | | | | | | | | |
| | 10.76 | 17.28 | 3.17 | 67.45 | 0.00 | 1.34 | 0.00 | 0.00 | 0.00 | 0.00 | 100.00 |
| United States | 11.78 | 15.44 | 6.38 | 56.41 | 7.25 | 2.74 | 0.00 | 0.00 | 0.00 | 0.00 | 100.00 |

